




AVD717D 16ch DVR



AVD717D 16ch DVR with Remote Access & DVD Writer

Advanced 16ch Pentaplex DVR with remote access, IR remote control, DVD Writer and USB, remote Internet access and remote alarm notification and recording. Featuring 3 Hard Drive bays, 4 audio inputs and a comprehensive set of surveillance tools at half the price of similar machines.

Features

- 16ch video & 4ch audio,
- 25~400fps real time recording with live monitor view
- MPEG4 Compression, Long Recording Time, Motion Detection
- Backup to DVD, USB or over Network / Internet
- Covert recording function
- Supplied with IR remote control
- ** **New, Remote Independant Operation** (without disturbing live view on monitor)

Specification

Video System / Compression	NTSC / PAL - Frame MPEG4
Video Input	16 channels composite video signal,
Video Loop Out	16 channels composite video signal,
Video Output	1 x Main Output, 1 x Spot Output, Video Output 1.0 Vp-p composite, 75Ω
Maximum Recording Rate	Frame 720x480 pixels 30IPS <NTSC> / 720x576 pixels 25IPS <PAL> CIF: 352x240 120IPS <NTSC> / 352x288100 IPS<PAL>
Image Display Mode	480/400 IPS, Single, Quad, Spot with adjustable Dwell Time
Adjustable Recording Speed	Frame 120,60,30,15 IPS <NTSC> / 100,50,25,12 IPS <PAL> CIF: 480,240,120,60 IPS <NTSC> / 400,200,100,50 IPS <PAL>
Image Quality Settings	Best, High, Normal, Basic
Hard Drive Storage	3 x IDE Type ATA66 slots up to 750GB each / 2 x HD + HD Array
HDD Management	Quick Clean, 500GB under 2 secs
Recording Mode	Manual, Timer, Motion, Alarm, Remote, Remote Alarm Record (R.E.T.R)
Pre Alarm Recording	YES, 8MB
Watermark	YES
Backup Device	DVD R, USB, Network, Internet connection
Web Transmission Format	Motion JPEG
Ethernet / Network Protocols	YES, 10/100 Base-T / TCP/IP, PPPoE, DHCP, DDNS, PELCO-D
Web Interface	Supplied software or IE browser 6+
Alarm I/O	16 inputs, 1 output
Digital Zoom	2 x digital zoom
Audio I/O	4 in, 2 out (mono)
Key Lock	Yes, User Password
Video Loss Detection	Yes, Audible Alarm
Camera Title	Yes, supporting up to 6 letters

Video Adjustment	Hue / Color / Contrast / Brightness
Date / Time Display	Yes
Power	19VDC
Current Consumption	<64 W
Operating Temp	10 + 40 C
Dimensions	432(W) x 90(H) x 326(D) mm
System Recovery	YES, after re-powered, recovery from power loss to previous state
Optional	VGA Convertor, Hard Drive Array

[download](#) | [print](#) | [support](#)

*Specifications are subject to change without notice.

Copyright © 2008, Securicorp Ltd. All rights reserved. Copying prohibited. [16ch DVR](#)