




# AVC782A 4ch DVR + CD



## AVC782A 4ch DVR with Remote Access & CD Writer

4ch DVR with 2ch Audio and remote access over Internet. Featuring real time recording and live view with CD Writer & USB backup function. Unique remote event trigger system for remote recording on alarm.

### Features

- 4ch with loopout + 2ch Audio + Remote Internet Access
- 25~100fps real time recording with live monitor view
- MPEG4 Compression, Long Recording Time
- Backup to CD or USB
- Backup over Network / Internet
- Covert recording function
- Motion Detection & alarm notifications via e-mail / ftp

### Specification

Video System / Compression	NTSC / PAL - Frame MPEG4
Video Input	4 channels composite video signal,
Video Loop Out	4 channels composite video signal,
Video Output	1 x Main Output, 1 x Spot Output, Video Output 1.0 Vp-p composite, 75Ω
Maximum Recording Rate	Frame 720x480 pixels 30IPS <NTSC> / 720x576 pixels 25IPS <PAL> CIF: 352x240 120IPS <NTSC> / 352x288100 IPS<PAL>
Image Display Mode	Single, Quad, Spot with adjustable Dwell Time
Adjustable Recording Speed	Frame 30,15,7,3 IPS <NTSC> / 25,12,6,3 IPS <PAL> CIF: 120,60,30,15 IPS <NTSC> / 100,50,25,12 IPS <PAL>
Image Quality Settings	Best, High, Normal, Basic
Hard Drive Storage	IDE Type ATA66 supporting 1 x HD up to 750GB
HDD Management	Quick Clean, 250GB under 2 secs
Recording Mode	Manual, Timer, Motion, Alarm, Remote, Remote Alarm Record (R.E.T.R)
Pre Alarm Recording	YES, 8MB
Backup Device	CD-R, USB, Network, Internet connection
Web Transmission Format	Motion JPEG
Ethernet / Network Protocols	YES, 10/100 Base-T / TCP/IP, PPPoE, DHCP, DDNS, PELCO-D
Web Interface	Supplied software or IE browser 6+
Alarm I/O	4 inputs, 1 output
Digital Zoom	2 x digital zoom
Audio I/O	2 in, 1 out (mono)
Key Lock	Yes, User Password
Video Loss Detection	Yes, Audible Alarm
Camera Title	Yes, supporting up to 6 letters
Video Adjustment	Hue / Color / Contrast / Brightness
Date / Time Display	Yes
Power	19VDC

Current Consumption	<42 W
Operating Temp	10 + 40 C
Dimensions	375(W) x 61(H) x 281(D) mm
System Recovery	YES, after re-powered, recovery from power loss to previous state

[download](#) | [print](#) | [support](#)

\*Specifications are subject to change without notice.

Copyright © 2008, Securicorp Ltd. All rights reserved. Copying prohibited. [4ch DVR](#)